

Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

SECTION 1: Identification of undertaking	the substance/mixture and of the company/
Product identifier	
Trade name:	
<u>HASIT PI 261 ÖKOSIL OPTI</u>	
Silicate Premium Interior Paint	
Relevant identified uses of the substa	ance or mixture and uses advised against
Life cycle stages C/PW Consumer use / Widespread use	e by professional workers
Sector of Use SU19 Building and construction work	
Product category PC9a Coatings and paints, thinners, pa	int removers
Process categoryPROC10Roller application or brushingPROC11Non industrial sprayingPROC19Manual activities involving had	
Environmental release category ERC10a / ERC11a Widespread use of	articles with low release
Article category AC0 Other	
Application of the substance / the pre Dispersion paint/ Latex paint - Produc building surfaces. For all other uses is a	ot for an industrial, technical and private use for coating
Details of the supplier of the safety da	ata sheet
Manufacturer/Supplier:	
HASIT Trockenmörtel GmbH Landshuter Straße 30 85356 Freising Germany	
Tel. +49 (0)8161 602 0 Fax +49 (0)8161 602-70400 zentrale.verwaltung@hasit.de hasit.de	
Further information obtainable from: Product Safety Department (Mon-Thu 8 Tel. +43(0)5522 41646 169 klaus.ritter@fixit-gruppe.com	a.m 4 p.m., Fri 8 a.m 12 p.m.)
Emergency telephone number	
National poisons information of National Health Service: 111 European emergency call: 112	
	G

according to UK REACH Version number: RO/ 8 (replaces version 7)



Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 1)

SECTION 2: Hazards identification Classification of the substance or mixture The product is not classified, according to the Globally Harmonised System (GHS). Label elements GHS label elements Void Hazard pictograms Void Signal word Void **Hazard statements** Void Additional information: EUH208 Contains 1,2-benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one. May produce an allergic reaction. EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist. Other hazards No further relevant information available. Results of PBT and vPvB assessment PBT: This substance/mixture contains no components classified as persistent, bioaccumulative and toxic (PBT) at levels of 0.1% or higher. vPvB: This substance/mixture contains no components classified as very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher. SECTION 3: Composition/information on ingredients **Chemical characterization: Substances** This product is a mixture. **Mixtures Description:** Mixture of binder dispersion, fillers and nonhazardous additions

(Contd. on page 3)



Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

	(C	ontd. of page
Dangerous components:		
CAS: 13463-67-7 EINECS: 236-675-5 Index number: 022-006-00-2 REACH: 01-2119489379-17	Titanium dioxide (<1% particles \leq 10µm, Note 10)	10 - 25%
CAS: 14808-60-7 EINECS: 238-878-4 REACH: ¹	Silicon dioxide (fine dust) Consisting of: 14808-60-7 Quartz (SiO ₂); 14464-46-1 Cristobalite; 15468-32-3 Tridymite STOT RE 1, H372 Specific concentration limits: STOT RE 1; H372: C \geq 10 % STOT RE 2; H373: 1 % \leq C < 10 %	5 - 10%
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6 REACH: 01-2120761540-60	 1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 ATE: LD₅₀ oral: 450 mg/kg Specific concentration limit: Skin Sens. 1A; H317: C ≥0.05 % 	< 0.05%
CAS: 2682-20-4 EINECS: 220-239-6 REACH: 01-2120764690-50	2-Methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; ↔ Skin Corr. 1B, H314; ↔ Aquatic Acute 1, H400; ↔ Skin Sens. 1A, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.0015 %	< 0.0015%
Other components (>20%):		
CAS: 7732-18-5 Water EINECS: 231-791-2 REACH: ¹		25 - 50%

Additional information:

For the wording of the listed hazard phrases refer to section 16.

Note 10 (EU 2020/217): The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter \leq 10 µm.

¹ Not subject to registration in accordance with EC 1907/2006 Annex V (point 7) or Article 2.

SECTION 4: First aid measures

Description of first aid measures



First aid

General information:

For first responder no special personal protective equipment is required. First responder should avoid contact with the product.

After inhalation:

Take affected persons into fresh air and keep quiet. Seek medical treatment in case of complaints. In case of irregular breathing or respiratory arrest provide artificial respiration. In case of unconsciousness place patient stably in side position for transportation.

(Contd. on page 4)

Version number: RO/ 8 (replaces version 7) Printing date 11.10.2024

Natürlich besser bauen

Revision: 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 3)

After skin contact:

Immediately wash with water and soap and rinse thoroughly. Immediately remove all soiled and contaminated clothing. Wash contaminated clothes before reuse. Clean contamionated shoes before reuse. If skin irritation continues, consult a doctor.

After eye contact:

Do not rub eyes because additional damage to eyes can be caused by mechanical stress. If necessary, remove contact lenses and flush the eye immediately while holding eyelids open to water for at least 20 minutes. If possible, isotonic eyewash solution (e. g. 0,9% NaCl). Always consult an occupational physician or ophthalmologist.

After swallowing:

Do not induce vomiting. If conscious rinse mouth with water and drink plenty of water. Consult a physician or poison control center.

Most important symptoms and effects, both acute and delayed

Symptoms and effects are described in section 2 and 11.

Hazards:

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

If a physician is to be consulted, as per possibility he should be presented this safety data sheet.

SECTION 5: Firefighting measures

Extinguishing media

The mixture is flammable neither in the delivery condition not in mixed conditions. Extinguisher and fire fighting are therefore adjusted to the surrounding fire.

Suitable extinguishing agents:

The mixture is flammable neither in the delivery condition not in mixed conditions. Extinguisher and fire fighting are therefore adjusted to the surrounding fire.

Special hazards arising from the substance or mixture

This product is neither explosive nor flammable, and non-oxidizing with other materials. Particular danger of slipping on leaked/spilled product.

Advice for firefighters

No special measures required. Collect contaminated fire fighting water separately. It must not enter the sewage system. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

If appropriate, reference must be made to exposure controls and personal protection (see section 8).

Environmental precautions

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

(Contd. on page 5)

Version number: RO/ 8 (replaces version 7)



Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 4)

GB

Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Avoid contact with the eyes and skin. Wear protective clothing. Washing facilities / Water for cleaning yes and skin should be available. Persons, who tend to skin diseases or other hypersensitivity reactions of the skin, should not handle the product. Do not eat, drink, smoke or sniff while working.

Information about fire - and explosion protection:

No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Keep out of reach of children. Store in cool, dry place in tightly closed receptacles.

Information about storage in one common storage facility: Keep away from foodstuffs, beverages and feed.

Further information about storage conditions:

Protect from frost. Protect from heat and direct sunlight.

Miniumum storage life: Minimum storage life (+5°C up to 25°C): See indication on package.

Storage class: 12

Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Control parameters

Ingredien	ts with lin	nit values that require	e monitoring at the workplace:	
13463-67-	7 Titaniur	n dioxide (<1% partic	eles ≤ 10μm, Note 10)	
WEL (Gre	at Britain)	Long-term value: 10* *total inhalable **resp		
14808-60-	7 Silicon	dioxide (fine dust)		
BOELV (E	EU) Long-term value: 0.1* mg/m ³ *respirable fraction			
DNELs				
13463-67-	7 Titaniur	n dioxide (<1% partic	les ≤ 10µm, Note 10)	
Oral	Long term	n exposure	700 mg/kg bw/d (Consumer)	
Inhalative	Systemic	- Long term exposure	10 mg/m³ (Employee)	
2634-33-5	1,2-benzi	sothiazol-3(2H)-one	1	
Dermal	Systemic	- Long term exposure	0.345 mg/kg bw/d (Consumer)	
			0.966 mg/kg bw/d (Employee)	
	1		1	(Contd. on page



Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

				(Contd. of page 5)
Inhalative				
			6.81 mg/m³ (Employee)	
2682-20-4	2-Methyl-2H-is	othiazol-3-one		
Oral	Long term expo		0.027 mg/kg bw/d (Consumer)	
	Short term expo	osure	0.053 mg/kg bw/d (Consumer)	
Inhalative	Local - Long ter	m exposure	0.021 mg/m³ (Consumer)	
			0.021 mg/m³ (Employee)	
	Local - Short te	rm exposure	0.34 mg/m³ (Consumer)	
			0.34 mg/m³ (Employee)	
PNECs				
13463-67-	7 Titanium diox	dide (<1% partic	:les ≤ 10µm, Note 10)	
Freshwate	r	0.127 mg/l		
Marine wa	ter	1 mg/l		
Soil		> 100 mg/kg		
Sediments	s (Freshwater)	> 1,000 mg/kg		
Sediments	(Marine water)			
Sewage pl	ant	100 mg/l		
2634-33-5 1,2-benzisothiazol-3(2H)-one		azol-3(2H)-one		
Freshwater 0.00403		0.00403 mg/l (n	ot specified)	
Marine wa	ter	0.000403 mg/l ((not specified)	
Soil		3 mg/kg (not sp	ecified)	
Sediments	Sediments (Freshwater) 0.		0.0499 mg/kg (not specified)	
Sediments	Sediments (Marine water)		0.000499 mg/kg (not specified)	
Sewage pl	Sewage plant 1.03 mg/l (not s		pecified)	
2682-20-4	2682-20-4 2-Methyl-2H-isothiazol-3-one			
Freshwate	r	0.00339 mg/l (n	ot specified)	
Soil		0.047 mg/kg (no	ot specified)	
Sediments	(Marine water)	0.00339 mg/kg	(not specified)	
Sewage pl	ant	0.23 mg/l (not s	pecified)	

Ingredients with biological limit values:

Void

Additional information:

The lists valid during the making were used as basis.

Information about design of technical facilities

No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Remove contaminated clothing immediately and thoroughly clean it before using it again. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat, drink, smoke or sniff while working. Use skin protection cream for skin protection. Ensure that washing facilities are available at the work place.

(Contd. on page 7)

GB

Natürlich besser bauen

Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 6)

Respiratory protection:



Use suitable respiratory protective device only when aerosol or mist is formed (FFP2 according to EN 149)

Hand protection:



Hand protection: Chemical resistant protective gloves according EN ISO 374

The glove material has to be impermeable and resistant to the product. Due to missing tests no recommendation to the glove material can be given for the product. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. Check protective gloves prior to each use for their proper condition. Preventive skin protection by use of skinprotecting agents is recommended. To avoid skin problems reduce the wearing of gloves to the required minimum.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Polychloroprene (material thickness ≥ 0.5 mm; breakthrough time ≥ 480 min.) Nitrile rubber (material thickness ≥ 0.35 mm; breakthrough time ≥ 480 min.) Butyl rubber (material thickness ≥ 0.5 mm; breakthrough time ≥ 480 min.) Fluororubber (material thickness ≥ 0.4 mm; breakthrough time ≥ 480 min.) Neoprene (material thickness ≥ 0.5 mm ; breakthrough time ≥ 480 min.)

Not suitable are gloves made of the following materials:

Non-liquid-tight gloves made of fabric, leather or similar materials.

Eye/face protection:



In case of splash risk use tightly fitting safety goggles according to EN 166.

Body protection:



Protective work clothing

Risk management measures:

An operator training/quidance in the correct use of personal protective equipment is necessary to ensure the required level of effectiveness.

(Contd. on page 8)

Printing date 11.10.2024 Version number: RO/ 8 (replaces version 7)



Revision: 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 7)

GB

Environmental exposure controls Avoid release in the environment. Use the surplus or dispose it of properly.

SECTION 9: Physical and chemica	• •
Information on basic physical and chemi	cal properties
General Information	
Physical state	Fluid
Appearance:	
Form:	Fluid
Colour:	Whitish
Odour:	Mild
Odour threshold:	Not safety relevant
pH at 20 °C (68 °F) Change in condition	9 - 11
Change in condition	
Melting point/freezing point: Boiling point or initial boiling point and	~ 0 °C (~ 32 °F) (ISO 3016)
boiling range	100 °C (212 °F)
Flammability	Product is not flammable.
Flash point:	Not applicable
Oxidising properties:	None
Explosive properties:	Product does not present an explosion hazard.
Ignition temperature:	Product is not selfigniting.
Vapour pressure at 20 °C (68 °F):	23 hPa (17.3 mm Hg)
Density and/or relative density	20 m a (m.o mm ng)
Density at 20 °C (68 °F):	1.49 - 1.65 g/cm³ (12.43 - 13.77 lbs/gal)
Particle size	
Viscosity:	
Dynamic at 20 °C (68 °F):	> 1,000 mPas (DIN 53019)
Solubility	.,
Water:	Fully miscible
Partition coefficient n-octanol/water (log	,
value)	Not determined
Solids content:	56 - 60 %
VOC without water (EC):	0.00 g/l
VOC with water (EC):	0.00 g/l
VOC with water (EC):	0.000 %
Other information	
Information with regard to physical haza	rd
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void

according to UK REACH



Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

		(Contd. of page 8)
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

Reactivity

No dangerous reactions known.

Chemical stability:

The product is stable as long as it is stored properly and dry.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials

No further relevant information available.

Hazardous decomposition products

No dangerous decomposition products known.

Miniumum storage life:

Minimum storage life (+5°C up to 25°C): See indication on package.

Additional information:

No further relevant information available.


SECTION 11: Toxicological information

Information on hazard classes as defined in Regulation (EC) No 1272/2008 The product was not investigated. The statement is derivated from the properties of the single components.

Acute toxicity:

Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:			
13463-67	-7 Titanium diox	ide (<1% particles ≤ 10µm, Note 10)	
Oral	LD ₅₀	> 5,000 mg/kg (Rat) (OECD 425)	
	Carcinogenicity	(Mouse) (ECHA Registration dossier) no effects observed	
Dermal	LD ₅₀	> 5,000 mg/kg (Rabbit)	
14808-60-7 Silicon dioxide (fine dust)			
Oral	LD ₅₀	> 5,000 mg/kg (Rat)	
		1	(Contd. on page 10





Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

2634-33-5	1,2-b	enzisothiazol-3(2H)-one	
Oral	, LD ₅₀	450 mg/kg (ATE)	
		1,150 mg/kg (Mouse)	
		597 mg/kg (Rat)	
Dermal	LD₅₀	> 2,000 mg/kg (Rat)	
2682-20-4	2-Met	hyl-2H-isothiazol-3-one	
Oral	LD_{50}	232 - 249 mg/kg (Rat) (OECD	401)
Dermal	LD₅₀	242 mg/kg (Rat) (OECD 402)	
Inhalative	LC ₅₀ (4h) 0.05 mg/l (ATE)	
	LC₅₀ (4h) 0.11 mg/l (Rat) (OECD 403)	
		on (about experimental toxicology):	
	7 Tita	nium dioxide (<1% particles ≤ 10µm, N	,
Oral		OECD 414 (Prenatal Developmental Tox	
lumitations a	falin		no effects observed
Irritation o			(Rabbit) not corrosive
Irritation of eyes OECD 40		OECD 405 (eye)	(Rabbit) not irritant
Sensitisati	on	OECD 429 (LLNA)	(Mouse) not sensitizing
		OECD 421 (Reproduction screening test	-
14808-60-	7 Silic	on dioxide (fine dust)	1
Irritation o	f skin	OECD 404 (skin)	(Rabbit) not irritant
Irritation o	f eyes	OECD 405 (eye)	(Rabbit) not irritant
Sensitisati	on	OECD 429 (LLNA)	(Mouse) not sensitizing
2682-20-4	2-Met	hyl-2H-isothiazol-3-one	
Oral		OECD 408 (Repeated dose oral toxicity	90d) 19 mg/kg bw/day (Rat)
Irritation o	f skin	OECD 404 (skin)	(Rabbit) corrosive
Sensitisati	on	OECD 406 (sensitization)	(Guinea pig) sensitizing
Primary ir	ritant	effect:	1
On the sk			

On the eye:

Based on available data, the classification criteria are not met.

Sensitization:

Sensitising effect by skin contact is possible by prolonged exposure. Based on available data, the classification criteria are not met.

(Contd. on page 11)

⁻ GB



Revision: 11.10.2024

GB

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

	(Contd. of page 10)
Germ cell mutagenicity: Based on available data, the classification criteria are not met.	
Carcinogenicity: Based on available data, the classification criteria are not met.	
Reproductive toxicity: Based on available data, the classification criteria are not met.	
Specific target organ toxicity - single exposure (STOT SE): Based on available data, the classification criteria are not met.	
Specific target organ toxicity - repeated exposure (STOT RE): Based on available data, the classification criteria are not met.	
Aspiration hazard: Based on available data, the classification criteria are not met.	
Practical experience No further relevant information available.	
General comments No further relevant information available. Information on other hazards	
Endocrine disrupting properties	
None of the ingredients is listed.	

SECTION 12: Ecological information

Toxicity

The product was not investigated. The statement is derivated from the properties of the single components.

13463-67-7 Titanium dioxide	(<1% particles ≤ 10μm, Note 10)	
LC₅₀ (48h)	5.5 mg/l (Water flea - daphnia magma)	
LC₅₀ (96h Marine water)	> 10,000 mg/l (Fish)	
LC₅₀ (96h Freshwater) (static)	> 100 mg/l (Goldfish) (OECD 203)	
EC₅₀ (48h)	> 1,000 mg/l (Water flea - daphnia magma) (ASTM Standard E729)	
EC₅₀ (72h)	5.83 mg/l (Algae - pseudokirchneriella subcapitata)	
EC₅₀ (3h)	> 1,000 mg/l (Activated sludge organisms) (OECD 209)	
EC₅₀ (7d)	> 100 mg/l (Lemna minor) (OECD 221)	
NOEC (48h)	1 mg/l (Water flea - daphnia magma)	
NOEC (21d)	> 10 mg/kg (Water flea - daphnia magma) (OECD 202)	
NOEC (28d) (static)	> 100 mg/l (Chironomus riparius) (OECD 219) Soil	
NOEC (32d)	> 1 mg/l (Algae - scenedesmus quadricauda)	
NOEC (8d)	> 1,000 mg/l (Zebrafish - danio rerio) (OECD 212)	
2634-33-5 1,2-benzisothiazol-3(2H)-one		
LC₅₀ (96h)	1.6 mg/l (Rainbow trout - oncorhynchus mykis) (OECD 203)	
EC₅₀ (48h)	3.27 mg/l (Water flea - daphnia magma)	
	1.5 mg/l (Water flea - daphnia)	
EC₅₀ (72h)	0.11 mg/l (Algae - selenastrum capricornutum) (OECD 201)	

according to UK REACH Version number: RO/ 8 (replaces version 7)



Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

	(Contd. of page
	2 mg/l (Algae scenedesmus subcapitatus)
EC₅₀ (16h)	0.4 mg/l (Pseudomonas putida)
EC ₁₀ (72h)	0.04 mg/l (Algae - selenastrum capricornutum) (OECD 201)
NOEC (21d)	1.2 mg/l (Water flea - daphnia magma) (OECD 202)
NOEC (28d)	0.21 mg/l (Rainbow trout - oncorhynchus mykis) (OECD 215)
2682-20-4 2-Methyl-2H-is	othiazol-3-one
LC₅₀ (96h Marine water)	2.98 mg/l (Water flea - daphnia magma)
LC₅₀ (96h Freshwater)	0.934 mg/l (Water flea - daphnia magma)
LC ₅₀	4.77 mg/l (Fish) (OECD 203)
EC ₁₀	0.044 mg/l (Water flea - daphnia magma) (OECD 211)
	4.93 mg/l (Fish)
EC ₅₀	41 mg/l (Activated sewage sludge) (OECD 209)
	0.103 mg/l (Algae - pseudokirchneriella subcapitata) (OECD 201
EC₅₀ (16h)	2.3 mg/l (Pseudomonas putida)
	L 114.
Persistence and degrada	
Persistence and degrada A part of the components i	
A part of the components i	s biodegradable.
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia	s biodegradable.
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A	s biodegradable. azol-3(2H)-one
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A	s biodegradable. azol-3(2H)-one ctivated sewage sludge) (OECD 303 A) ot specified) (OECD 302 B)
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A > 90 % (no	s biodegradable. azol-3(2H)-one ctivated sewage sludge) (OECD 303 A) ot specified) (OECD 302 B) al
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A > 90 % (no Bioaccumulative potentia	s biodegradable. azol-3(2H)-one ctivated sewage sludge) (OECD 303 A) ot specified) (OECD 302 B) al azol-3(2H)-one
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A > 90 % (no Bioaccumulative potentia 2634-33-5 1,2-benzisothia	s biodegradable. azol-3(2H)-one ctivated sewage sludge) (OECD 303 A) ot specified) (OECD 302 B) al azol-3(2H)-one d) (OECD 117)
A part of the components i Degree of elimination: 2634-33-5 1,2-benzisothia Biodegradation > 70 % (A > 90 % (not Bioaccumulative potentia 2634-33-5 1,2-benzisothia Log Kow 0.7 (not specified	s biodegradable. azol-3(2H)-one ctivated sewage sludge) (OECD 303 A) ot specified) (OECD 302 B) al azol-3(2H)-one d) (OECD 117) (BCF)

No further relevant information available.

Results of PBT and vPvB assessment

PBT:

This substance/mixture contains no components classified as persistent, bioaccumulative and toxic (PBT) at levels of 0.1% or higher.

vPvB:

This substance/mixture contains no components classified as very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Endocrine disrupting properties

This substance/mixture does not contain components with endocrine disrupting properties according to the criteria of Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 in concentrations of 0.1% or higher.

Other adverse effects

No further relevant information available.

Literature

No further relevant information available.

according to UK REACH



Revision: 11.10.2024

Printing date 11.10.2024

Version number: RO/ 8 (replaces version 7)

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 12)

Ecotoxical effects: No further relevant information available.

Behaviour in sewage processing plants:		
2634-33-5 1,2-benzisothiazol-3(2H)-one		
EC ₂₀ (0,5h)	3.3 mg/l (Activated sludge organisms) (OECD 209)	
EC ₂₀ (3h)	3.3 mg/l (Activated sludge organisms) (OECD 209)	
EC₅₀ (3h)	13 mg/l (Activated sludge organisms) (OECD 209)	
OECD 302 B Zahn Wellens Test	90 % (Activated sludge organisms) (OECD 302)	
OECD 303 A Activated Sludge Units	% (Rat)	
	> 70 % (Activated sludge organisms) (OECD 303 A)	
2682-20-4 2-Methyl-2H-isothiazol-3-one		
EC ₂₀ (3h)	2.8 mg/l (Activated sludge organisms) (DIN 38412-3 TTC- Test)	

Additional ecological information:

General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

Waste treatment methods

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Dispose of contents/container in accordance with local/regional/national/international regulations.

European waste catalogue		
08 01 12	Waste paint and varnish other than those mentioned in 08 01 11	
15 01 02	Plastic packaging	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	

08 01 12 for residues of the unprocessed product 15 01 02 for the completely emptied packaging

Uncleaned packaging

Recommendation:

Disposal must be made according to official regulations. Recycle only completely emptied packaging.

Recommended cleansing agents:

Water, if necessary together with cleansing agents.

(Contd. on page 14)

according to UK REACH Version number: RO/ 8 (replaces version 7) HASIT_ Natürlich besser bauen

Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

UN number or ID number	
ADR, ADN, IMDG, IATA	Void
UN proper shipping name	
ADR, ADN, IMDG, IATA	Void
Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
Packing group	
ADR, IMDG, IATA	Void
Environmental hazards	
Marine pollutant:	No
Special precautions for user	Not applicable
Maritime transport in bulk according	y to IMO
instruments	Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Poisons Act

Regulated explosives precursors

None of the ingredients is listed.

Regulated poisons

None of the ingredients is listed.

Reportable explosives precursors

7631-99-4 Sodium nitrate

Reportable poisons

1310-58-3Potassium hydroxide17% of total caustic alkalinity

GHS label elements Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Directive (EU) 2012/18 Named dangerous substances - ANNEX I : None of the ingredients is listed.

Biozide ingredients (EU) 528/2012: Data based on recipe and information on the raw materials from the supply chain.

1,2-benzisothiazol-3(2H)-one	< 0.05%
Tetramethylolacetylene diurea	< 0.03%
	(Contd. on page 15)

Listed

Version number: RO/ 8 (replaces version 7) Revision: 11.10.2024

Natürlich besser bauen

(Contd. of page 14)

< 0.0015%

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

2-Methyl-2H-isothiazol-3-one

Classification according (EU) 2004/42:

IIA(a) 30 - This product contains < 30 g/I VOC (see chapter 9)

Other regulations, limitations and prohibitive regulations:

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (UK REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/ EC and 2000/21/EC

Commission Regulation (EU) No 878/2020 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (UK REACH)

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

Regulation (EC) No 1013/2006 of the European Parliament and of the Council of 14 June 2006 on shipments of waste

Regulation (EC) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Reasons for changes:

* Data compared to the previous version altered.

Relevant phrases:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H372 Causes damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

Advice for instructions:

Additional trainings, which go beyond the prescribed training in activities involving hazardous substances are not required.

Literature and the data sources:

Department issuing MSDS:

Product safety department (+43/(0)5522-41646-0 / klaus.ritter@fixit-gruppe.com)

(Contd. on page 16)

GB

according to UK REACH Version number: RO/ 8 (replaces version 7) Natürlich besser bauen

Revision: 11.10.2024

Printing date 11.10.2024

HASIT PI 261 ÖKOSIL OPTI

(Contd. of page 15) Contact: Dr. Klaus Ritter Abbreviations and acronyms: ICAO: International Civil Aviation Organisation RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) MAK: Maximale Arbeitsplatz-Konzentration (maximum concentration of a chemical substance in the workplace, Austria/ Germany) PBT: persistent, bioaccumulative and toxic properties vPvB: very persistent, bioaccumulatice properties ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) DNEL: Derived No-Effect Level (UK REACH) PNEC: Predicted No-Effect Concentration (UK REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 **Further information:** The information in this safety data sheet describe the safety requirements of our product and is based on our current state of our knowledge. They provide no assurance of product quality. Existing laws, ordinances and regulations, including those that are not mentioned in this data sheet must be observed by the recipient of our products in their own responsibility.